

LENNOX' ELITE® SERIES



Home Comfort Systems

XP16

High-efficiency, two-stage comfort

Compatible with the exclusive Humiditrol® whole-home dehumidification system—indoor air quality you can feel







Elite® Series XP16 Heat Pump

Two-stage operation optimizes cooling performance, resulting in more even temperatures and lower utility bills

Efficient design can result in significant energy savings

Ozone-responsible R410A meets the EPA's most stringent environmental guidelines

Compatible with the exclusive Humiditrol® whole-home dehumidification system*

SmartHinge[™] louvered access panels provide improved coil protection and fast, efficient servicing

ENERGY STAR® qualified

*Must be accompanied by either a variable speed air handler or furnace and the ComfortSense 7000 Series touchscreen thermostat.

Want to feel more comfortable at home? With the XP16 heat pump, you can feel more comfortable, without feeling the pinch of high utility bills. That's because it has two levels of cooling and heating for a higher level of efficiency.

MAXIMUM COMFORT WITH MINIMUM WASTED ENERGY

With its two-stage design, the XP16 makes the distinction between mild and extreme-weather days, using only the energy necessary to keep you comfortable. It runs mostly at low stage, so you can avoid high utility bills. And, when you combine the XP16 with a ComfortSense® 7000 touchscreen thermostat*** and Humiditrol® dehumidification system, you can also find relief from high humidity.

Efficient Can save you hundreds of dollars each year on utility bills

The XP16 keeps you comfortable, while keeping your energy costs down. With cooling efficiencies of up to 17.00 SEER and heating efficiencies of up to 8.70 HSPF, it can significantly lower your utility bills.



5-YEAR COOLING SAVINGS

Actual system efficiency may vary depending on the exact system match. Efficiencies are representative of a single AHRI Most Popular matched combination. Always verify actual system efficiencies through AHRI or by visiting AHRI ratings database at www.ahridirectorv.org.

compared to older, less-efficient units

EFFICIENCY RATING

Up to **17.00 SEER** (Seasonal Energy Efficiency Ratio) and **8.70 HSPF** (Heating Seasonal Performance Factor).

WARRANTY**

10-year limited warranty on compressor.

5-year limited warranty on all remaining covered components.

**Applies to residential applications only. See actual warranty certificate for details.



The XP16 heat pump can be combined with a gas furnace to enhance comfort and fuel efficiency by alternating between electric and gas heat, optimizing energy use and minimizing heating costs.

^{***}ComfortSense thermostat is required for proper operation of the Humiditrol system on split system air conditioners and heat pumps. ComfortSense thermostat will not control the packaged rooftop unit version of the Humiditrol system.

Customizable Compatible with the new Humiditrol® whole-home dehumidification system

The XP16 gives you the flexibility to choose a Humiditrol system for improved comfort and indoor air quality. Patented Humiditrol technology helps reduce humid conditions in the home, reducing the opportunity for mold and mildew growth.

INNOVATIVE FEATURES FOR ENHANCED COMFORT AND EFFICIENCY

Precision-Balanced Direct-Drive Fan - -

Delivers quiet operation.

High-Efficiency Outdoor Coil - -

Provides exceptional heat transfer and low air resistance for high-efficiency operation.

Two-Stage Scroll Compressor –

Operates at low stage most of the time for quieter, more efficient performance. Plus, it cools your home using the ozone-responsible R410A refrigerant.

Durable Steel Cabinet –

Made to last with an attractive, high-quality textured paint finish.

Drainage Holes - -

Prevent damaging moisture from collecting inside the basepan.

SmartHinge[™] Louvered Coil Protection –


Allows quick, easy access to interior components

from all sides, so the unit can be serviced in minimal time.



Elite® Series XP16 Specifications					
XP16		024	036	048	060
SEER		Up to 17.00	Up to 16.20	Up to 16.00	Up to 15.50
HSPF		Up to 8.50	Up to 8.50	Up to 8.20	Up to 8.50
Sound Rating-dB		74	76	76	78
Dimensions	HxWxD (in.)	31 x 27 x 28	35 x 30-1/2 x 35	45 x 30-1/2 x 35	39 x 35-1/2 x 39-1/2
	HxWxD (mm)	787 x 686 x 711	889 x 775 x 889	1143 x 775 x 889	991 x 902 x 1003

Note: Due to Lennox' ongoing commitment to quality, all specifications, ratings and dimensions are subject to change without notice.












roper sizing and installation of equipment is critical to achieve optimal performance. Split system air conditioners and heat pumps must be matched with appropriate coil components to meet ENERGY STAR® criteria. Ask your Lennox dealer for details, or visit www.energystar.gov.





on every comfort count, from consistent temperatures and balanced humidity to improved indoor air quality. Lennox also offers a line of residential generators, which provide safe, reliable standby power in the event of outages.

DEALERS YOU CAN COUNT ON

Choosing the right dealer for your home's heating, cooling and air quality needs is every bit as important as choosing the right brand. We think you'll agree our independent dealers are a big reason you can count on quality customer service whenever you call. Your Lennox dealer's dedication to quality shows in his knowledge, training and expertise in designing the right system for your home, installing it properly and keeping it running perfectly for many years to come.

